

REMARKS

Favorable reconsideration of this application, in view of the following comments and as presently amended, is respectfully requested.

Applicants acknowledge the statement at paragraph 2 of the Office Action that the listing of references in the specification does not constitute a full Information Disclosure Statement. However, to that effect applicants note that a proper Information Disclosure Statement was filed on August 22, 2001, which listed on a PTO -1449 form and provided copies of the different patents discussed in the specification. At this time that Information Disclosure Statement has not been acknowledged as considered. Acknowledgment of consideration of that Information Disclosure Statement is respectfully requested. For convenience's sake, a copy of the filed Information Disclosure Statement, including its date-stamped filing receipt, is provided with the present response.

The present amendment also submits an Abstract to address the objection thereto.

Attached with the present response is also a Substitute Specification. The Substitute Specification avoids any hand written interlineations or cancellations. Further, the Substitute Specification makes minor amendments to the original specification including correcting for minor informalities and including appropriate headings. A marked-up copy showing such changes is also submitted. The changes to the specification are not believed to raise any issues of new matter.

Claims 6-13 are pending in this application. Claims 1-5 are canceled and Claims 6-13 are added by the present response. Claims 1-5 were rejected under 35 U.S.C. § 112, second paragraph. Claims 1-5 were also rejected under 35 U.S.C. § 102(b) as anticipated by U.S. patent 2,281,473 to Brewer or U.S. patent 4,700,838 to Falciani et al. (herein "Falciani").

Addressing now the rejection of Claims 1-5 under 35 U.S.C. § 112, second paragraph,

that rejection is traversed by the present response. More specifically, new Claims 6-13 have been written to avoid the language objected to in original Claims 1-5.

Addressing now the rejection of Claims 1-5 under 35 U.S.C. § 102(b) as anticipated by Brewer or Falciani, that rejection is traversed by the present response.

Before addressing the applied art in detail, a brief review of the benefits of the claimed invention is believed to be helpful.

The applicants of the present invention have recognized that a problem exists in the current art in that until the present invention it was not possible to have a bag in which a ready to use solution could be reconstituted from a sterile product such that the sterile products could be reconstituted directly into the bag still under sterile conditions to form solutions that could then be taken out from the bag as a whole all at one time or as partial (e.g., single doses) portions of the total volume of the reconstituted solution.

As discussed in the present specification, a bag in which a sterile product is formed and which must be completely filled with a solvent to form a solution has been realized. However, the drawback with that type of device is that since the bag must be completely filled with the solvent a complete solution of the powder cannot be attained by simply shaking the bag, and therefore the bag must require additional devices for creating turbulence within the bag. Further, since the bag is always completely filled, the bag must always start out with the same amount of soluble sterile product.¹

New Claims 6-13 have been written to clarify certain features recited therein. The claims provide an improved bag such that the volume of the bag is larger than the volume of the reconstituted ready to use solution after the reconstitution. That is, in the bag of the

¹See the Substitute Specification at page 3, line 10 et seq.

claims after a solvent is introduced into the bag and mixes with the soluble sterile product, the reconstituted solution only partially fills a capacity of the bag. That allows the bag to be easily shaken to achieve a proper solution. That also allows different quantities of soluble sterile product to be initially placed in the bag.

Such features in the claimed invention clearly differ from the applied art to Brewer and Falciani.

First with respect to Brewer, Brewer is not even directed to a bag into which a solvent is to be injected. Instead, Brewer is directed to a sterile package for surgical powder which is to be directly applied to a wound.² Further, Brewer does not disclose or suggest that if any solvent was introduced to reconstitute a solution, that such a solution would only partially fill a capacity of the bag. Thus, Brewer differs fundamentally from the claims as currently written in essentially all aspects.

Further, Falciani is merely directed to a container for storing pharmaceutical products. Falciani also does not disclose or suggest introducing any solvent into the container. Further, Falciani does not disclose or suggest that if any solvent was introduced to reconstitute a solution that such a solution, would only partially fill a capacity of the bag.

In such ways, each of the claims as currently written distinguishes over the teachings in both Brewer and Falciani.

²See Brewer at, for example, column 1, lines 4-7, and column 4, lines 14-15.

As no other issues are pending in this application, it is respectfully submitted that the present application is now in condition for allowance, and it is hereby respectfully requested that this case be passed through issue.

Respectfully submitted,

OBLON, SPIVAK, McCLELLAND,
MAIER AND NEUSTADT, P.C.



Gregory J. Maier
Registration No. 25,599
Attorney of Record
Surinder Sachar
Registration No. 34,423



22850

(703) 413-3000
(703) 413-2220 (fax)

GJM:SNS/bwt
I:\atty\SNS\203970us-am.wpd

Marked-Up Copy

Serial No: 09/807,413

Amendment Filed on:

11-14-02

IN THE SPECIFICATION

Entry of the attached substitute specification is respectfully requested.

IN THE CLAIMS

1-5. (Canceled).

6-13. (New).

IN THE ABSTRACT

(New).

TITLE OF THE INVENTION

BAG FOR PRESERVING AND TRANSPORTING STERILE PRODUCTS IN POWDER FORM AND FOR FORMING SOLUTIONS OF ^{THE} ~~SAID~~ PRODUCTS IN THE BAG

BACKGROUND OF THE INVENTION

Field of the Invention

The invention relates to a bag able to preserve a product in powder form under sterile conditions and to enable a liquid to be fed into the bag to form therein a sterile solution ~~((this term also including a dispersion or suspension))~~ of ^{the} ~~said~~ product.

Discussion of the Background

Many products obtained in sterile form in the solid state are known to be used in the liquid state as sterile solutions, suspensions, dispersions, or the like.

A typical example is a pharmaceutical product such as an antibiotic or vitamin, or a culture medium for micro-organisms such as cells, bacteria or moulds which at the moment of use ~~is~~ ^{are} dissolved or dispersed in liquid.

The problem of dissolving or dispersing a sterile powder in liquid while maintaining sterility is considerable and costly, and is solved in various ways, all involving problems which are summarized below by referring to two particularly important cases.

For example, cell culture medium is produced in the form of powder which can be sold as such in polyethylene bags or bottles closed with a screw stopper. To be used, this product is dissolved in liquid to form a solution (typically an amino acid, electrolyte or vitamin solution) in a totally aseptic environment, this involving time and considerable cost.

The sterile solution obtained in this manner is fed into a glass

jar or bottle in a suitable sterile bottling environment, and the sealed bottle is despatched to the client in a special housing and protection container. The user has then to open the bottle under aseptic conditions to be able to then withdraw the solution contained in it.

This method is well known, and is explained for example in lines 9-59 of column 1 of the patent US-A-4,910,147.

To solve these problems, US-A-4,910,147 proposes to sell to the user not the product, but instead an already prepared sterile solution of the cell culture medium enclosed in a sealed flexible bag, into which the solution is fed using semi-automatic aseptic filling machines. Such bags, which are completely filled with the solution, are much more manageable than glass bottles and can be easily and economically despatched by the producer to the user who, without the need for [^]special apparatus or a sterile environment, can directly withdraw all or part of the sterile solution through one or more ports with which the bag is provided.

However, this system also presents problems because although it is relatively simple to store and transport small bags filled with liquid, in the case of bags containing a relatively large liquid volume, for example five ^{litres} ~~litres~~ or more, the hydraulic force exerted by the liquid during transport can break the bag, as is clearly explained in lines 34-50 of column 1 of US-A-4,968, ⁶²⁴ ~~642~~ which names the same inventors and the same proprietor as US-A-4,910,147.

For this reason US-A-4,968,624 describes a very complex rigid structure within which the bags containing the solutions have to be enclosed for their storage and transport.

Again for example, reference can be made to the method of using those sterile crystalline antibiotics (in powder form) contained in single-dose form in glass bottles sealed by rubber plugs. To ^{make} ~~use~~ such antibiotics ^{injectable into a patient by} ~~using~~ a syringe a sterile solvent (water) is

ENCLOSURE 2

3/1 3A

drawn from a vial (which ~~has~~^{is} firstly ~~to be~~ broken or opened), then the solvent is fed into the bottle by piercing its plug with the syringe needle, the bottle is shaken to dissolve the antibiotic powder, and the solution formed in this manner is drawn into the syringe through the needle which passes through the plug of the bottle, after which the solution can be injected into the patient.

Although this operation may be relatively simple to carry out by a user who has to prepare the solution and inject it only one or a few times a day, it becomes very demanding and costly in hospitals in which specialized personnel (nurses) have to repeat the same operation a very large number of times every day, with considerable time wastage, high cost and serious problems of maintaining sterility, these being enhanced by the need to dispose of a large number of empty glass bottles with rubber plugs, glass vials and miscellaneous packaging material.

Again it should be noted that it is not possible to prepare solutions of antibiotics (for example in bags such as those described in US-A-4,910,147 and in US-A-5,364,384) in suitable plants to then despatch them to hospitals, because such solutions remain unaltered only for a very short time, and then only if special care is taken for their preservation.

In order to solve the above mentioned problems the US-A-5,484,431 has proposed the use of a bag constructed from a flexible polyolefin material, sealed at its periphery and defining a closed sterile space containing a sterile solute or a

AMENDED SHEET

3/2 3B

soluble product in powder form occupying only a minor portion of the capacity of the bag.

The bag has a plurality of ports through which a liquid can be introduced into it for dissolving the powder or solute and respectively for withdrawing the solution which has been formed within the bag.

According to the teachings of the US-A-5,484,431 the amount of liquid introduced into the bag is such to completely fill it as it is stated, for example, in line 62 of col. 8 and line 23 of col. 9 of the patent specification: in order to make it possible to dissolve the powder or solute contained therein, the bag must include internal means for creating turbulence within its interior (see lines 1-3 of col. 3): preferably the bag is provided with an internal seal 14 (see lines 43-45 and 56-60 of col. 4) which functions to create turbulence when the liquid flows into the bag ensuring an adequate mixing of the liquid and the powder or solute in order to create a solution.

Such solutions are for intravenous administration of dextrose solutions, saline, lactated Ringer's or the like whose concentrations in the respective solutions need not ~~to~~ be exactly predetermined and the same in each bag.

The structure of the bag disclosed in the US-A-5,484,431 is not a simple one, because it must comprise internal means for creating turbulence within its interior as a consequence of the fact that the liquid introduced therein completely fills the bag, so that a simple shaking of the bag would practically be ~~inadequate to~~ ^{ineffective to} completely dissolve

the powder or the solute. Moreover, since the bags are formed with^a flexible sheet of plastic materials and the bags are completely filled with the liquids introduced therein, it is impossible to obtain solutions all having the same preestablished concentration of the materials dissolved therein.

Finally, the solutions formed in the bags are used for intravenous administration, where it is not necessary to exactly control the amount of the active substances which are administered to the patients.

SUMMARY OF THE INVENTION

In the light of the foregoing, the main object of this invention is to provide a bag of simple structure usable for preserving and transporting sterile products in powder form and for feeding into it a solvent to easily and quickly form a solution with predetermined concentration of the powdered product directly within the bag under sterile conditions, the bag being provided with at least one port through which the entire solution or a part thereof can be easily, quickly and safely withdrawn in order to be used, the volume of the solution being sufficiently large to supply a plurality of single individually usable doses of the same solution, for example for filling a plurality of syringes.

A further object is to provided~~x~~ a method which enables sterile products in powder form to be packaged in easily storable and transportable flexible bags, and further enables solutions with predetermined concentrations of such products to be subsequently easily and quickly formed directly within the bags ^{when the solution} ~~is~~ to be used.

These and further objects are attained by a bag for preserving and transporting sterile products in powder form and for forming therein solutions with predetermined concentrations of ~~said~~^{the} products, the bag being of polyolefins construction, being hermetically sealed at its periphery to define a sterile closed space and having at least one port also of polyolefin construction defining a passageway, the two ends of which open inside and respectively outside the bag, ~~said~~^{The} passageway ~~being~~^{is} closed by a pierceable membrane for the introduction of a solvent into the bag and respectively for the withdrawal of the solution therefrom, ~~characterised in that each bag contains~~^{The} an amount of product in powder form adapted to give ~~a~~^{with the solvent and within the bag} ~~ready to use~~^{the reconstituted} solution ~~with~~^a ~~desired pre-determined concentration, that~~^{ing a capacity of} such ~~a solution~~ⁿ only partially fills the bag capacity, and ~~in that~~^{The} the total amount of ~~said~~^{the} solution ~~is~~^{can be} a multiple of single volumes of individual doses of the same solution

The invention concerns also a bag constructed of flexible polyolefin material and containing a ready to use solution prepared by introducing within a sealed bag originally containing a dosed amount of a soluble sterile product in powder form an amount of solvent adapt^{ed} to give ~~said~~^{the} ready to use solution with desired concentration of ~~said~~^{the} product, ~~characterised in that the~~^{The} bag capacity is such that it is

My -3F-

only partially filled by ~~said~~ ready to use solution, and ~~in~~
that the total volume of ~~said~~ solution ^{can be} is a multiple of
single volumes of individual doses of the same solution.

5 Finally, the invention concerns a method for preparing
solutions with predetermined concentrations of soluble
sterile products in powder form enclosed and sealed within
sterile bags constructed of flexible polyolefin materials,
~~characterised in that~~ ^{wherein the} a bag containing a dosed amount of
10 soluble sterile product in powder form adapted to give a
solution of predetermined concentration is fed with an
amount of solvent adapted to give a ready to use solution
with desired concentration of the product, ~~in that~~ ^{and} the bag
capacity is such that it is only partially filled by ~~said~~ ^{the}
15 solution, and ~~in that~~ the volume of the solution suffices
to supply a plurality of single individual doses of the
same solution.

BRIEF DESCRIPTION OF THE DRAWINGS

The bag structure and its method of use will be more apparent from the ensuing description of a preferred embodiment thereof given by way of non-limiting example with reference to the accompanying drawings, ~~of~~ⁱⁿ which:

Figure 1 is a schematic front view of the bag, ~~of~~^{of} which

Figure 2 shows an enlarged partial section coplanar with that portion of the bag on which the bag access port is provided;

Figure 3 is a section through the bag taken on the line 3-3 of Figure 1, the bag being shown filled only to a minimum extent with a product in powder form and with the port closed;

Figure 4 is similar to Figure 3, but with the port open for feeding into the bag a liquid having a volume occupying only a part of the bag capacity; and

Figure 5 shows the closed bag inserted into a further two bags used for its storage and its despatch to the powdered product user.

DISCUSSION OF THE PREFERRED EMBODIMENTS

Reference will firstly be made to Figures 1 to 4, which show a bag 1 constructed of polyolefin, preferably low density polyethylene, sealed hermetically along its entire periphery and having at one end a port 2 formed in one piece with and projecting from an elongate tapered body 3 from which there projects a further port

4. The ports 2 and 4 and the body 3 are constructed of the same material as the bag 1, the body 3 being incorporated into the peripheral bonding seam 5 of the bag 1 so that one end of the ports 2 and 4 opens inside the bag whereas their other end opens outside the bag.

As can be seen from Figure 2 the ports 2 and 4 define conduits closed by respective membranes 6 and 7 respectively, which are formed integrally with the ports and are arranged to ensure sterile conditions in the bag when it contains the product in powder form, as explained hereinafter.

From the figures it can also be seen that on the free ends of the two ports 2 and 4 there are applied protection plugs 8 and 9 respectively, which can be removed if required.

Before bonding the bag 1 along its entire periphery it is sterilized (for example with β rays), then into it, using an automatic machine in a sterile environment, there is fed a mass of sterile product in powder form 10 which, as can be seen from Figure 3, occupies only a small part of the bag capacity. The powder can be advantageously fed through that end of the bag distant from the end comprising the ports 2 and 4, after which this end is heat-bonded.

The described bag encloses and protects in a sterile environment the sterile product in powder form contained in it.

This bag can be easily and economically stored and transported to the user by the producer who has packaged it.

To make storage and transport very secure, the described bag 1 is preferably inserted into an intermediate bag 11 (Figure 5) also constructed of polyolefin, preferably high density polyethylene, and which after being sealed is inserted into an outer bag 12 composed of three layers of different materials welded together, of which the inner layer 13 is constructed of polyolefin

(preferably high density polyethylene) or polyvinyl chloride, the intermediate layer is constructed of a barrier material (preferably aluminium), and the outer layer is constructed of polyolefin, nylon or polyester.

The packaging of the bag 1 in the bags 11 and 12 is known, and is of the type illustrated in US-A-4,700,838, corresponding to EP-B-201880.

The nature of the barrier material in its general terms (additional to aluminium) can be as defined in US-A-4,910,147.

When the sterile product in powder form is to be used, the bag 1 is removed from the protection bags, the ~~stopper~~^{plug} 8 is unscrewed, and into the port 2 a perfuser is inserted so that its free end 16 fractures the membrane 6 (Figure 4). The perfuser is a well known device and will not be described for simplicity. Its end sealedly engages the cavity in the appendix 2, through which the desired quantity of water can be easily fed under sterile conditions into the bag 1 to form with the powdered product a solution 17 which fills only a part of the bag capacity. This merely partial filling of the bag 1 ^{not only} is necessary to enable the liquid in the bag to be energetically shaken in order to quickly and completely dissolve ~~or disperse or suspend~~ the product in powder form to make it suitable for use, *but it makes it possible to introduce into the bag the exactly controlled amount of liquid which is required for giving a solution in which the product is present at its predetermined concentration.* One of the preferred uses of the described bag is to preserve and transport sterile crystalline antibiotics and to form injectable solutions thereof (in hospitals and the like) *in which the concentration of the antibiotics must be carefully controlled; this means that if the amount of an antibiotic closed in a bag is known, also the amount of water to be introduced into the same bag for forming the solution is known.* To give a detailed practical example, a bag 1 is prepared from a sheet of low density polyethylene of 150 micron thickness, the bag having a height of 35 cm and a width of 45 cm. 300 g of an antibiotic in powder form are fed into this bag and preserved in a sterile environment. The bag 1 is sealed within an intermediate bag of high density polyethylene of 100 micron thickness, having a height of 40 cm and a width of 48 cm. The intermediate bag is

then inserted into and sealed inside an outer bag of 43 cm height and 54.4 cm width formed from three layers joined together, the inner layer being formed of high density polyethylene of 0.075 mm thickness, the intermediate layer being formed of a sheet of aluminium of 0.01 mm thickness, and the outer layer being of polyester resin of 0.012 mm thickness.

When the antibiotic is to be used, the inner bag 1 is removed from the intermediate bag 11 and outer bag 12 and 3000 ml of injection-quality water are fed into it via the described perfuser (Figure 4) to form a solution of the required concentration for the particular therapeutic dose, in this case 100 mg/ml. It is important to note that the antibiotic solution 17 occupies only a part of the bag capacity to enable the antibiotic to be quickly and completely dissolved by vigorously shaking the bag. The bag capacity is preferably between 1.5 and 2 times the volume of the solution to be prepared in it.

The antibiotic solution obtained in this manner can be used directly, for example it can be transferred into sterile syringes each containing 30 ml of solution. The syringes can be filled in groups (for example 10, 20 or more syringes at a time) by automatic machines of known type which withdraw the solution through the free end 16 of the perfuser (by arranging the bag with the port 2 pointing downwards) used for feeding the liquid into the bag.

If desired, individual doses of the antibiotic solution can be withdrawn through the port 4 (the presence of which is not strictly necessary but is preferred). To do this, the ^{Protection plug} ~~stopper~~ 9 is removed, and a rubber plug 20 (which seals that part of the cavity of the port 4 external to the bag 1) and the membrane 7 are perforated by the syringe needle.

When the syringe needle is removed, the solution is unable to flow from the bag 1, this being prevented by the rubber plug 20.

If the syringes are not used within a short time after their filling, they can be preserved in a freezer and then be despatched to the user in hospital in controlled temperature containers.

From the foregoing description it is apparent that the antibiotic solution can be very easily and quickly formed at the desired concentration in a sterile environment, and that syringes can then be filled likewise easily and economically.

By proceeding in the aforescribed manner, very important advantages are obtained compared with traditional systems in that it is no longer necessary to preserve the sterile antibiotic in powder form in glass bottles, a considerable reduction in the risk of contamination of the final pharmaceutical product is achieved (with the traditional system, for each syringe the solution has to be prepared individually and be fed into the syringe in environments which are generally not sterile), and there is a considerable cost and ecological saving consequent on the fact that it is no longer necessary to use glass bottles, metal rings, rubber plugs (one for each bottle), glass vials for solvents, etc.

All this leads to a considerable cost reduction, especially because a large number of specialized personnel are no longer required for preparing the individual antibiotic solutions, this being a very costly operation in hospitals or in those places in which a large quantity of antibiotic solutions ^{have} ~~has~~ to be prepared.

Very considerable advantages are obtained even if the sterile products contained in the bags are not pharmaceutical products but are other products in powder form to be dissolved ~~for dispersed~~ in various liquids for their use. ~~such as cell culture media.~~

In addition to the described bag, the invention also relates to the method for preserving and transporting sterile products in powder form and for dissolving ~~for dispersing~~ them in liquids under sterile conditions, as defined in the introductory part and in the claims accompanying this description.